## **EAST Search History**

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	( "20020075486") .PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/02 08:51
L2	2	("6526547") .PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/02 11:44
L3	1983	film and (adjust\$4 with process with (variabl\$4 or condition\$1) ) and plasma	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBMTDB	OR	ON	2008/01/02 11:55
L4	1680	I3 and thickness	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBMTDB	OR	ON	2008/01/02 11:46
L5	193	I3 and (thickness with m)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBMTDB	OR	ON	2008/01/02 11:46
L6	146	I3 and (thickness near4 (m or meter))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBMTDB	OR	ON	2008/01/02 11:49
L7	131	l6 and coat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 11:49

## **EAST Search History**

		I		1		Ţ
L8	751	I3 and (thickness near layer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 11:56
L9	32	l8 and (thickness near meter\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBMTDB	OR	ON	2008/01/02 11:58
L10	5724	optical near wave near guide	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 11:58
L11	445	I10 and (layer near thickness)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 12:11
L12	. 5	I10 and (meters near thickness)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 12:00
L15	17	I10 and (micro near meter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBMTDB	OR	ON	2008/01/02 12:01
L17	51	("20020055801" "20020075488 " "20020083401" "20030113085"  "5271264" "5467883" "5479340"  "5578161" "5653894" "5654903"  "5737496" "5807761" "5821502"  "5846373" "5910011" "5946542"  "0522023" "6051284" "6052183"  "6068783" "6146492" "6160621"  "6326794" "6348419" "6353210"  "6413867") .PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/02 12:26

## **EAST Search History**

L19	53	117 or 11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/02 12:26
L20	2	I19 and waveguide	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/02 13:04
L21	1057	( horizontal with vertical with profile) and coat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBMTDB	OR	ON	2008/01/02 12:50
L22	2	l21 and l10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBMTDB	OR	ON	2008/01/02 12:51
L23	4	I19 and stress	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBMTDB	OR	OFF	2008/01/02 13:04

1/2/08 1:12:26 PM Page 3